

New Caltrac 400

RECOMMENDED APPLICATION RATES AND TIMINGS

Apple, Pears: 3-5 L/ha repeated at 10 day intervals from 4 weeks after petal fall. Water rate: 500 L/ha minimum.*

Avocado: Apply at a concentration of 150 mLs product per 100 litres water from fruit set at 10 to 14 day intervals to a maximum tree row volume (TRV) of 4000 L/ha.*

Bananas: 2 L/ha repeated as necessary at 10 to 14 day intervals. Water rate: 30 L/ha minimum.*

Canola: 3 to 5 L/ha applied from the 4 to 9 leaf stage. Repeat as necessary at 10 to 14 day intervals. Water rate: 50-500 L/ha.

Capiscums (Field Grown): Repeat applications of 5 L/ha from the 4 to 6 leaf. Allow 7 days between applications.

Water rate: 50-500 L/ha.*

Cucurbits (Field Grown): 3 to 5 L/ha repeated at 7 day intervals during fruit development. Water rate: 200-500 L/ha.*

Grapevines: Two applications of 5 L/ha at a 10 to 14 day interval prior to flowering. Also, repeated applications of 5 L/ha at 10 to 14 day intervals from fruit set e.g. fruit set, bunch closure (pea sized berries), start of ripening and two weeks later.

Water rate: 200 L/ha. NB Late applications may leave a deposit on berries which may be of significance for table grapes.

Onion: 3 to 5 L/ha applied at the 6 leaf stage and repeated as necessary 10 to 14 days later. Also, 5 L/ha at bulb swelling, repeated once or twice at 10 to 14 day intervals.

Water rate: 30-200 L/ha.

Poppy: One to three applications of 3 L/ha at 10 to 14 day intervals commencing once there is adequate leaf cover to intercept the spray and continuing up to the start of flowering. Water rate: 200 L/ha.

Potatoes: 5 L/ha commencing 2 weeks after 100% emergence and repeated as necessary at 10 to 14 day intervals.

Water rate: 50-500 L/ha.

Tomato (Field Grown): One to four applications of 5 L/ha from flowering on second truss onwards, repeated at 7 day intervals.

Water rate: 50-500 L/ha.*

Zucchini (Field Grown): 3 to 5 L/ha repeated at 7 day intervals during fruit development up to one month before harvest.

Water rate: 200-500 L/ha.*

*Note: Caltrac 400 may leave white marks upon the fruit, similar to other suspension concentrate products. It may be necessary to clean the fruit prior to sale.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Mix the product thoroughly before use. Pour through the top filter into the tank three-quarters filled with water, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables, outside the control of Yara, can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. *Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.*

PRECAUTIONS


Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. *Protect from frost and other climatic extremes. (temperatures exceeding 40°C)*

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

Yara warrants that the product within the unopened container conforms to the chemical description on this label. The directions on this label must be followed carefully and are based on tests, believed to be reliable. As the occurrence of unusual weather or soil conditions, and the use of this product, are all beyond the control of Yara, no guarantee, expressed or implied, is made as to the effects of such use or the results obtained, and in no event shall the liability of Yara exceed the price of the product used. The purchaser must assume all risks of storage, use or application of this product. Goods are sold subject to the standard Conditions of Sale of Yara, available on request or at www.yaravita.com. Use of the product implies that the purchaser accepts these Conditions of Sale.



5