



YaraVita™

Coptrel® 500



600 litres



NOTICE

Before using this product, read the entire label

Safety data sheet available for professional user on request

Coptrel® 500

Copper treatment for agricultural use via foliar application or soil impregnation

LIQUID FERTILIZER

Guaranteed analysis:

50% w/w (500 g/L) copper (Cu)
as copper oxide.

6.9% w/w (69 g/L) nitrogen (N) as urea
Maximum biuret: 0.1% w/w

THIS PRODUCT CONTAINS 51% W/W WATER
TOTAL SOLIDS 49% W/W

Harmful if swallowed; Do not breathe spray

CHECK CONDITION AFTER 08/12

Distributed in Australia by Yara Australia Pty. Ltd.,
201 Miller Street, North Sydney, NSW 2060
Tel: 02 9959 4266 Fax: 02 9959 4050
Made in the U.K. by Yara UK Ltd., Pocklington,
York YO42 1DN

RECOMMENDED APPLICATION RATES AND TIMINGS

Acacia: 0.5-1.5 L/ha applied during spring or autumn flush.

Water rate: 20 L/ha minimum.

Canola: 0.25 L/ha at the 4 to 8 leaf stage. Water rate: 200 L/ha.

Carrot, Onion: 250-350 mL/ha. When sufficient leaf area to intercept spray. Water rate: 50-200 L/ha.

Cereals: 175-500 mL/ha. From 4 leaf stage to start of stem extension (G.S. 30). Water rate: 50-200 L/ha. NB Do not apply to cereals beyond G.S 30.

Eucalyptus: 0.5 to 3 L/ha applied during spring or autumn flush. Water rate: 20 L/ha minimum.

Lucerne: 150-350 mL/ha. For pasture, apply early in the season, after 1st cut. For seed production, apply at bud formation. Water rate: 50-200 L/ha.

Olive: Spray at 1.25 to 2.5 L/ha. Two to three sprays per year between spring and end of autumn. To be applied when problem is apparent. 10 to 14 days between applications. Water rate: 1000 L/ha

Potatoes: 0.5 L/ha applied 7 to 14 days after 100% emergence and following petiole analysis during tuber bulking.

Water rate: 200 L/ha (30 L/ha for aerial application).

Poppy: One to three applications of 0.5 L/ha at 10 to 14 day intervals commencing once there is adequate leaf cover to intercept the spray, and continuing up to the start of flowering. Water rate: 200 L/ha.

SOIL APPLICATION

All crops: Up to 4 L/ha. Water rate: 50 L/ha minimum.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Foliar/Soil application: Mix the product thoroughly before use. Pour through the top filter into the tank three-quarters filled with water, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables, outside the control of Yara, can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

STORAGE OF TREATED SEED

Treated seed should be drilled in season of application. Although the product should not have any effect on storage life of treated seed, the subsequent germination and performance of such seed may be adversely affected by physical storage conditions. No liability can therefore be accepted for the performance of stored, treated seed.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 40°C)


CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

Yara warrants that the product within the unopened container conforms to the chemical description on this label. The directions on this label must be followed carefully and are based on tests, believed to be reliable. As the occurrence of unusual weather or soil conditions, and the use of this product, are all beyond the control of Yara, no guarantee, expressed or implied, is made as to the effects of such use or the results obtained, and in no event shall the liability of Yara exceed the price of the product used. The purchaser must assume all risks of storage, use or application of this product. Goods are sold subject to the standard Conditions of Sale of Yara, available on request or at www.yaravita.com. Use of the product implies that the purchaser accepts these Conditions of Sale.

06.08.10

WLAUY24M00

For further crop recommendations visit Product Information at www.yara.com.au



5 033704 002389