

Yara Pilbara Nitrates Pty Ltd Air Quality Monitoring Report August 2025

2/10//2025 650-200-REP-YPN-0095 Rev 0

Ambient Air Concentration of Gases NH₃, NO₂ and SO₂

Site	Date On	Date Off	Date Off NH ₃	e On Date Off	- -	SO ₂
		μg/m³	μg/m³	μg/m³		
Site 5 - Burrup Road						
Site 6 - Water Tanks	No new results to date.					
Site 7 - Hearsons Cove						

Notes:

(1) Site 7 renamed from Deep Gorge to Hearsons Cove due to site relocation in April 2020



Yara Pilbara Nitrates Pty Ltd Air Quality Monitoring Report August 2025

2/10//2025 650-200-REP-YPN-0095 Rev 0

Airborne Particulate Concentration Total Suspended Particulates (TSP)

Period Start Date ^{(1),(2)}	Site 5 (Burrup Road) TSP	Site 6 (Water Tanks) TSP	Site 7 (Hearsons Cove) TSP
	μg/m³	μg/m³	μg/m³
12-Jul-25	28	No sample - Sample outside runtime tolerance	21
18-Jul-25	23	No sample - Sample outside runtime tolerance	17
24-Jul-25	No sample - Sample outside runtime tolerance	No sample - Sample outside runtime tolerance	22
30-Jul-25	No sample - Sample outside runtime tolerance	No sample - Sample outside runtime tolerance	24
05-Aug-25	No sample - Sample outside runtime tolerance	No sample - Sample outside runtime tolerance	17
11-Aug-25	No sample - Sample outside runtime tolerance	15	13

Notes:

- (1) The date is the date that sampling commenced.
- (2) The Low Volume Air Sampler unit runs for a nominal 24 hours.



Yara Pilbara Nitrates Pty Ltd Air Quality Monitoring Report August 2025

2/10//2025 650-200-REP-YPN-0095 Rev 0

Deposited Dust - Total Dust Deposition per Month Insoluble and Soluble Fraction

Site 5 - Burrup Road		Date Deployed	30/05/2025	
Site 3 - Burrup Road	u	Date Collected	1/07/2025	
Parameter	Unit	Limit of reporting		
Soluble solids	g/m²/month	0.7	1.2	
Insoluble solids	g/m²/month	0.8	<0.8	

Cita C Matau Tanka		Date Deployed	30/05/2025	
Site 6 - Water Tanks		Date Collected	1/07/2025	
Parameter	Unit	Limit of reporting		
Soluble solids	g/m²/month	0.7	1.7	
Insoluble solids	g/m²/month	0.8	<0.8	

Site 7 – Hearsons Cove		Date Deployed	30/05/2025	
Site / – Hearsons C	ove	Date Collected	1/07/2025	
Parameter	Unit	Limit of reporting		
Soluble solids	g/m²/month	0.7	1.2	
Insoluble solids	g/m²/month	0.8	<0.8	

Notes:

(1) Site 7 renamed from Deep Gorge to Hearsons Cove due to site relocation in April 2020.